


## 11 Waves phenomena review questions

### Part A: Standing waves:

1. A string is connected to a vibration generator and the standing wave formed is shown below.




Sketch the wave that would form if:

- The string was doubled in length.
  - The frequency of the vibration generator was increased by 50%.
  - The string was put under a tension that doubled the speed of the wave along the string.
  - The string was made heavier so that the speed of the wave along the string halved.
- (e) In which of the situations above is the string vibrating at the fundamental frequency (first harmonic)
- (f) What is happening to the wave at the fixed point?

2. Standing waves can be set up in open ended pipes. When the wave reached the end it reflects but in a different way to the reflection at a closed end or at the end of a string standing wave. A high pressure pulse reaching the end will cause a low pressure pulse to bounce back and vice-versa.

Which line of the table is correct:?


Type of end	Open	Closed
Behaviour of wave at end	Node	Node
	Node	Antinode
	Antinode	Node
	Antinode	Antinode



### Part B: Doppler effect:

1. Two listeners hear the frequency of a moving car engine at differently. The speed of sound is  $340\text{ms}^{-1}$  and the speed of the car is  $50\text{ms}^{-1}$ . The main frequency of the motor sound is  $200\text{Hz}$ .


- Explain whether the listener who is in front of the car hear a higher frequency or a lower frequency than the listener behind the car.
- Calculate the frequency heard by the listener who is behind the car.
- If the listener in front of the car is playing a note of frequency  $440\text{Hz}$  sketch a graph of frequency heard by the driver as the driver passes the listener playing the note. Add values of frequency to the y axis.



2. A source of 440Hz waves whose speed is  $330\text{ms}^{-1}$  waves is travelling at  $500\text{ms}^{-1}$ . Calculate the frequencies observed by a stationary listener for this approaching source. What does the negative result mean?
3. M31 (the Andromeda galaxy) is approaching us at about  $120.0\text{ kms}^{-1}$ . Some light it emits has a wavelength, relative to M31, of  $480.0\text{ nm}$ . What is its wavelength as observed by us?

### Part C: Diffraction

1. When sketching intensity of the single slit diffraction pattern state three key elements of the sketch.
2. The derivation of the formula for finding the angle for the first minimum point in the diffraction pattern comes from assuming the light from each half of the slit will interfere destructively. This occurs when the path difference between the top of the slit and half way down the slit is equal to what value?
3. Derive the formula referred to in 2.
4. Electromagnetic waves from a source pass through a slit of width  $5 \times 10^{-4}\text{ m}$ . A detector is used to detect the level of intensity arriving at a distance  $1\text{ m}$  away from the slit. The detector detects a strong continuous level intensity of radiation along a horizontal line of  $5\text{ cm}$  length. The detector is kept at the  $1\text{ m}$  distance. Estimate the wavelength of the radiation being used.



### Part D: Resolution

1. When waves pass through a gap or reflect off a narrow surface they diffract.
  - a. Explain why smaller wavelengths are needed to accurately detect small objects.
  - b. Explain why an electron of energy  $1\text{ MeV}$  can provide more resolution than light.
2. The sand ripples on a beach are approximately  $8\text{ cm}$  apart. A camera is used to take a picture of a beach from a helicopter flying at a height of  $500\text{ m}$ . The camera lens has an aperture of  $4\text{ mm}$ . Explain whether the sand ripples on the beach will be resolved on the image of the camera.



### Part E: Polarization

1. Light can be polarized by reflection off water whose refractive index is  $4/3$ . Calculate the angle of incidence that would cause the most polarization.
2. Consider the diagram opposite and calculate the intensity of radiation in units that would pass through the second filter.
3. Liquid crystal is optically active when a voltage is applied to it.
  - a. Explain optically active
  - b. Explain how this property can be used in back-lit LCD displays.

